



## EXPORT PRICELIST 2009

**EIKI Czech, spol. s. r. o.**

### The basic screen surfaces

#### Type D

Matt white, diffuse screen surface, scatte the light in all directions, ahve a viewing angle of 50 degrees, have a luminance factor (gain) 1,1. This screen surface is particularly suitable for use with projectors with an light output of 1500 ANSi lumens and for projection in darkened rooms. The audience can be seated over a wide area.

#### Type R

Screen surface for rear projection. Repro HS – with a luminance factor (gain) 2 is suitable for projection in darkened rooms, the structured base material provides for a wide viewing angle. Repro LS – with a luminance factor (gain) is recommended for use with bright projectors and is suitable for projection in lightened and darkened rooms.

All screens are ex works Czech Republic  
Valid from: 01.06.2009

Contact: EIKI Czech, spol. s. r. o.  
Nad cementárnou 1163/4a  
14700 Praha 4  
Czech Republic

tel.: 00420 241 410 928  
fax: 00420 241 409 435  
email: [info@eiki.cz](mailto:info@eiki.cz)  
[www.eiki.cz](http://www.eiki.cz)

## TRIPOD SCREENS

### STARFLEX

- affordable, entry – level model for slide and overhead projection
- convenient handle makes transportation easier
- height adjustable projection surface
- tensioning mechanism for ultimate picture clarity
- octagonal casing, black colour pulver coating
- screen surface Type D on foil base, matt white, backside black



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
150 x 150	Type D	on request	9
175 x 175	Type D	on request	11

### COMBIFLEX PROFESSIONAL

- suitable for slide, overhead and data/video projection
- stable square-bar steel tripod
- convenient handle makes transportation easier
- height adjustable projection surface
- tensioning mechanism for ultimate picture clarity
- keystone eliminator
- octagonal casing, white aluminium colour
- screen surface Type D on foil base, matt white, backside black



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
150 x 150	Type D	on request	11
180 x 180	Type D	on request	13
200 x 200	Type D	on request	15

### STARELLO PREMIUM

**NEW !**

- suitable for slide, overhead and data/video projection
- professional model in the Tripod Projection Screen range
- stylish design, quick assembly and extremely flexible
- extremely robust aluminium tripod
- pneumatically cushioned telescopic height adjustment
- convenient handle for easy transportation
- tensioning mechanism for ultimate picture clarity
- keystone eliminator
- octagonal casing, light grey colour
- screen surface Type D on woven base, matt white, backside black



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
160 x 160	Type D	on request	13
180 x 180	Type D	on request	15
200 x 200	Type D	on request	17

### Accessories for the tripod screens

#### Transport bag

- protective case and transport bag in one
- made of sturdy nylon fabric
- suitable for all types of tripod screens

Dimensions	Price in Euro /ex works Czech rep.
160 x 160	on request
180 x 180	on request
200 x 200	on request



## MOBILE DESIGN SCREENS

### MOVIELUX COMPACT

- height adjustable uniform projection surface
- handle is located at the front of the screen
- massive, stable stand
- occupying small space – saving storage
- casing colour: white aluminium, RAL 9006
- screen surface Type D on foil base, matt white, backside black
- black border defines picture area, the image appears clearer in terms of contrast
- screen format 4:3



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
120 x 90	Type D	on request	8,5
160 x 120	Type D	on request	11
180 x 135	Type D	on request	12
194 x 146	Type D	on request	16

### MOVIELUX MOBILE

- the screen is suitable for portable projection and is extremely well designed
- the projection surface is integrated into the case
- the scissors mechanism ensures optimal screen uniformity
- the sturdy aluminium casing protects the screen from dust and damage
- occupying small space – saving storage
- four wheels and two handles for easy transport
- screen surface Type D on a woven base, matt white
- black border defines picture area, the image appears clearer in terms of contrast
- screen format 4:3



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
155 x 115	Type D	on request	14,5
175 x 125	Type D	on request	15,5
196 x 147	Type D	on request	17,5
		on request	

### COMBIFLEX MOBILE

- the screen is suitable for portable projection, for schools, training rooms
- housing made of octagonal sheet-steel-profile
- easily set up due to well-developed handling
- large fold out OV-bracket in tripod head enables optimal tilting of the screen
- stepless height adjustable with a Knurtled-head-screw
- the screen surface can be turned around for 360 degrees
- undercarriage is movable by 5 castors
- screen surface Type D on foil base, matt white, backside black



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
150 x 150	Type D	on request	14
180 x 180	Type D	on request	16
200 x 200	Type D	on request	19

Table screen		on request	
LCD Mobile	107 x 76	on request	
Shoulder Bag for Table Screen		on request	

## ULTRALIGHT SCREENS

### EASY FIXX PREMIUM

- foldable, stationary lightweight and cheap screen most suitable for home cinema
- quick and easy screen tensioning by means of elastic elements
- especially low weight - only 4 kg
- stable chrome stand occupying a very small area
- continuous telescopic height adjustment
- price includes a transport bag (waterproof textile)
- 5 cm black frame suitable for home cinema
- screen surface Type D on foil base, matt white, backside grey
- screen format 4:3 or 16:9



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
160 x 120	Type D	on request	3
180 x 135	Type D	on request	3,2
200 x 150	Type D	on request	3,7
240 x 180	Type D	on request	4,2
160 x 90	Type D	on request	3
180 x 101	Type D	on request	3,2
200 x 113	Type D	on request	3,7
240 x 145	Type D	on request	4,2

### Accessories for the Easy Fixx

#### Wall mounting holder

Description	Price in Euro /ex works Czech rep.
Wall mounting holder	on request



# MANUAL ROLLABLE WALL SCREENS

## UNIVERSAL WALL SCREEN


- Universal Wall Screen is the most economical model in the fixed screen range
- simple rolldown principle means that the screen is immediately ready for use
- can be wall or ceiling mounted
- square steel casing, white pulver coating
- screen surface Type D on foil base, matt white, backside white
- screen format 1:1, steplessly variable format selection



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
153 x 153	Type D	on request	6
183 x 183	Type D	on request	7
203 x 203	Type D	on request	8
244 x 244	Type D	on request	9,5

## PREMIUM WALL SCREEN

- NEW: Retraction of the projection surface with slow-return effect
- projection surface rolls up slowly and soundlessly
  - can be wall or ceiling mounted
  - the fixed brackets on the side of the screen casing assure a secure mounting
  - square steel casing, white pulver coating
  - screen surface Type D on a woven base, matt white, backside black
  - screen format 1:1 without black border, 4:3 and 16:9 with black border



### PREMIUM (format 1:1) without black border

Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
147 x 147	Type D	on request	6
174 x 174	Type D	on request	7
197 x 197	Type D	on request	8
234 x 234	Type D	on request	9,5

### PREMIUM (format 4:3, 16:9) with black border

Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
170 x 128	Type D	on request	6,8
193 x 144	Type D	on request	7,8
234 x 176	Type D	on request	9,2
170 x 95	Type D	on request	6,8
193 x 109	Type D	on request	7,8
234 x 132	Type D	on request	9




## Accessories for the Universal Economy and Premium

### Wall/ceiling spacer

- white colour, spacing 30 cm
- includes wall hooks

Description	Price in Euro /ex works Czech rep.
Wall and ceiling spacer 10 cm (pair)	on request
Wall and ceiling spacer 30 cm (pair)	on request



# MANUAL ROLLABLE WALL SCREENS

## ROLLUX 2

- pul down-tilt-pivot in one easy step
- suitable for wall or ceiling mounting
- optimal screen tension by means of the scissor mechanism
- octagonal casing, white pulver coating
- possibility of tilting 15 degrees
- screen surface Type D on foil base, matt white, backside black
- screen format 1:1



Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
150 x 150	Type D	on request	10
180 x 180	Type D	on request	12,5
200 x 200	Type D	on request	14

## Accessories for Rollux 2

### Wall/ceiling spacer

- white colour, spacing 30, 40 and 50 cm
- possibility of tilting 15 degrees

Description	Price in Euro /ex works Czech rep.
Wall and ceiling spacer	on request



### Swivel head

- facilitates screen swivelling either to the left or right when wall-mounted
- should be used together with the wall/ceiling spacer


Description	Price in Euro /ex works Czech rep.
Swivel head	on request



## FRAME SCREENS

### PLANA FOLD – with stand

- easily set up – perfect for big events and presentations
- extremely rigid frame due to lock and load
- no tool required for assembly and disassembly
- height is adjustable from 5 – 140 cm
- standard T feet support the screen in a vertical position
- dimensions in accordance with international standards
- each screen comes packed in wheeled, heavy duty polyethylene carrying case
- screen surface with 7 cm wide black border with push buttons around
- screen surface Type D matt white or Type S highly reflective on foil base for front projection



#### Plana Fold – Type D, front projection

Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
244 x 183	Type D	on request	25
305 x 229	Type D	on request	30
366 x 274	Type D	on request	35
427 x 320	Type D	on request	42
<b>Plana Fold – Type R, rear projection</b>			
244 x 183	Type R	on request	25
305 x 229	Type R	on request	30
366 x 274	Type R	on request	35
427 x 320	Type R	on request	42



Optional screen surfaces on request




### FRAME STANDARD – for wall mounting

- sleek, high-grade aluminium frame (width 5 cm) in black
- easy assembly of the frame – snap on system
- black frame makes images appear richer in terms of contrast and image clarity
- ideal to combine with short throw projectors
- snap fasteners on the back hold the projection surface to the frame
- ensures a permanently flat screen surface for excellent images
- available up to a maximum size 6 x 4,5 m
- screen surface Type D matt white on foil base for front projection or Type R on foil base for rear projection

### NEW: 3D projection surface on request

#### Framed Standard – Type D, front projection

External / Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
160 x 120	Type D	on request	10,1
180 x 135	Type D	on request	11,4
200 x 150	Type D	on request	12,7
240 x 180	Type D	on request	15,3
300 x 225	Type D	on request	19,4
360 x 270	Type D	on request	24
400 x 300	Type D	on request	27,3
<b>Cinema format 16:9</b>			
200 x 112,5	Type D	on request	11,2
240 x 135	Type D	on request	13,4
300 x 169	Type D	on request	17



**Frame Standard – Type R, rear projection, format 4:3**

External / Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
160 x 120	Type R	<b>on request</b>	10,1
180 x 135	Type R	<b>on request</b>	11,4
200 x 150	Type R	<b>on request</b>	12,7
240 x 180	Type R	<b>on request</b>	15,3
300 x 225	Type R	<b>on request</b>	19,4
360 x 270	Type R	<b>on request</b>	24
400 x 300	Type R	<b>on request</b>	27,3

**Frame Standard – Type R, rear projection, format 16:9**

External / Image dimensions (W x H)	Screen surface	Price in Euro /ex works Czech rep.	Brutto weight in kg
200 x 112,5	Type R	<b>on request</b>	11,2
240 x 135	Type R	<b>on request</b>	13,4
300 x 169	Type R	<b>on request</b>	17

